(i) Publication number:

0 355 697 A3

(2)

EUROPEAN PATENT APPLICATION

(1) Application number: 89115118.5

(1) Int. Cl.5: HO4N 7/173

(2) Date of filing: 16.08.89

(30) Priority: 19.08.88 JP 204721/88

② Date of publication of application: 28.02.90 Bulletin 90/09

Designated Contracting States:
DE FR

Date of deferred publication of the search report: 03.07.91 Bulletin 91/27 Applicant: HITACHI, LTD. 6, Kanda Surugadai 4-chome Chiyoda-ku, Tokyo 100(JP)

(72) Inventor: Ball, Toru

Miharashinoie C-608 2 Koyodal-4-chome

Inagi-shi(JP)

Inventor: Nakano, Yukio

Hitachi Owada Apartment D-302

47-1, Akatsukicho-1-chome Hachioji-shi(JP)

Inventor: Tanabe, Shiro

Hitachi Koyasudal Apartment A-103

32, Koyasumachi-2-chome Hachioji-shi(JP)

Inventor: Nakagawa, Tetsuya

Hitachi Shoburyo 18-30, Midoricho-5-chome

Koganei-shi(JP)

Inventor: Kojima, Hirotsugu 15-12, Koyama-3-chome Nerima-ku Tokyo(JP)


Representative: Strehl, Schübel-Hopf, Groening Maximilianstrasse 54 Postfach 22 14 55 W-8000 München 22(DE)

Multimedia bidirectional broadcast system.

(132) for accessing the commercial data base (132) for accessing the commercial data base (132) for accessing the commercial data base (134), a commercial data base (135), a commercial data base (136), a commercial data base (137), a program transmitter (138) for effecting accesses and transmissions of transmission programs (138) for accessing the commercial data base (139), a commercial data base (131), a program transmitter (132) for accessing the commercial data base (131) for accessing the commercial data base (131)

and for transmitting content thereof based on the setting of the main control unit (106), an image encoder (107) for achieving a bandwidth compression on a video signal, a cell assembler (108) for processing data to be transmitted onto a broadband transmission line so as to generate a cell of the data, and an asynchronous transfer mode exchange (109) for delivering the cell to a subscriber system (116) associated therewith. Each of the subscriber systems (116) includes a network terminal (111), a terminal control unit (113), a decoder (112) to decode the compressed video signal, and a television monitor (114).

EP 0 355 697 A3





EUROPEAN SEARCH REPORT

EP 89 11 5118

DOCUMENTS CONSIDERED TO BE RELEVANT					
ategory		th Indication, where appropriate, vant passages		elevant o claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
Α	DE-A-2 550 624 (SIEMEN * page 3, lines 13 - 28; clain page 8, line 16 *		7 - 1,5	5	H 04 N 7/173
P,A	GB-A-2 207 838 (TELEAC page 1, line 12 - page 2, li 7, line 4 * * abstract; figure *	ne 25 * * page 6, line 15 -	page 1,1	6	
P,A	GB-A-2 209 082 (HASHIM * page 1, line 22 - page 2, li		1,1	6	
A	IEEE JOURNAL ON SELECTION. vol. SAC-4, no. 4, Jul 429 - 437; Heinrich Armbrütbroad-band services in the the whole document *	y 1986, NEW YORK US p ster: "Applications of futur	ages	5	
			,		TECHNICAL FIELDS SEARCHED (Int. CI.5)
					H 04 N G 09 F H 04 Q
	The present search report has i	peen drawn up for all claims			
Place of search Date of completion o		Date of completion of s	earch		Examiner
	The Hague	26 April 91			ISA S.
CATEGORY OF CITED DOCL X: particularly relevant if taken alone Y: particularly relevant if combined wit document of the same catagory A: technological background O: non-written disclosure			E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons &: member of the same patent family, corresponding		e application other reasons